

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

| | This bold are optional accessories. Far ealegories and individual part listings a | 2554 | Screws, 3x6mm cap-head machine (hex drive) (6) |
|--------|--|---------------------|---|
| | Bearings & Bushings | 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 4607 | Ball bearings (5x11x4mm) (8) | 1647 | Silicone grease |
| 4612 | Ball bearings (10x15x4mm) (2) | 6878 | Slipper clutch, complete |
| 2728 | Ball bearings (5x8x2.5mm) (2) | 5556 | Slipper pressure plate & hub (aluminum alloy) |
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) | 5351 | Slipper pressure plate and hub (alloy) |
| 5119 | Ball bearings, blue rubber sealed (10x15x4mm) (2) | 3331 | |
| 5120 | Ball bearings, blue rubber sealed (12x18x4mm) (2) | | Chassis & Attachments |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) | 6815R | Body mount (1)/ body mount post (2)/ body post extensions (2) (front |
| 5114 | Ball bearings, blue rubber sealed (5x8x2.5mm) (2) | | or rear) |
| 5117 | Ball bearings, blue rubber sealed (6x12x4mm) (2) | 3924 | Box, receiver (sealed)/ foam pad/ silicone grease/2.5x8mm BCS (2)/ |
| 5118 | Ball bearings, blue rubber sealed (8x16x5mm) (2) | | 3x10mm CCS (2)/ 3x15mm CCS (2) |
| 2545 | Bellcrank bushings (plastic) (5x8x2.5mm) (4) | 3628 | Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) |
| 3934 | Body clips, heavy duty (12) | 6835 | Bumper, front/ bumper mount, front (black) |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) | 6836 | Bumper, rear/ bumper mount, rear (black) |
| | Body & Accessories | 7421 | Chassis conversion kit, low CG (Slash 4x4) |
| 1926 | Antenna caps, vinyl (2)/ antenna spool | 6822 | Chassis, Slash 4X4 |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) | 6841 | Cover, center driveshaft (clear) |
| 3935 | Body clip (mounting clip), angled, 90-degrees (10) | 5827 | Hold down, battery/ hold down retainer/ battery post/ foam spacer/ |
| 3934 | Body clips, heavy duty (12) | E027V | angled body clip |
| 6815R | Body mount (1)/ body mount post (2)/ body post extensions (2) (front | 5827X | Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi- |
| 001310 | or rear) | | cell batteries) |
| 1815 | Body washers (8) | 6840 | Mount, Go-pro camera, fiberglass |
| 6716 | Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4) | 3629 | Seal kit, receiver box (includes o-ring, seals, and silicone |
| 5815 | Body, Ford Raptor® (clear, requires painting) | 0020 | grease) |
| 5815A | Body, Ford Raptor®, blue (painted, decals applied) | 3925 | Seal kit, receiver box (includes o-ring, seals, and silicone grease) |
| 5815R | Body, Ford Raptor®, red (painted, decals applied) | 0020 | |
| 5815X | Body, Ford Raptor®, white (painted, decals applied) | | Differential Components |
| 6811 | Body, Slash 4X4 (clear, requires painting)/ window masks/ decal | 5119 | Ball bearings, blue rubber sealed (10x15x4mm) (2) |
| | sheet | 5117 | Ball bearings, blue rubber sealed (6x12x4mm) (2) |
| 6817 | Body, Slash 4X4, Amsoil (painted, decals applied) | 5118 | Ball bearings, blue rubber sealed (8x16x5mm) (2) |
| 6831 | Body, Slash 4X4, Chad Hord (painted, decals applied) | 5381 | Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW |
| 6818 | Body, Slash 4X4, Greg Adler, 4 Wheel Parts (painted, decals | 6814 | Differential kit, center (complete) |
| | applied) | 6882X | Gear set, differential (output gears (2)/ spider gears (2)/ spider gear |
| 6820 | Body, Slash 4X4, Jeff Kincaid (painted, decals applied) | | shaft, carrier support) |
| 6825X | Body, Slash 4X4, Mark Jenkins #25 (painted, decals applied) | 6881 | Housings, differential, front |
| 6826R | Body, Slash 4X4, Mike Jenkins #47 (2014 paint) (painted, decals | 6880 | Housings, differential, rear |
| | applied) | 5379X | Ring gear, differential/ pinion gear, differential |
| 6811X | Body, Slash 4X4, ProGraphix (Graphics are printed, requires | 6778 | Ring gear, differential/pinion gear, differential (12/47 ratio) (front) |
| | paint & final color application)/ decal sheet | 6779 | Ring gear, differential/ pinion gear, differential (12/47 ratio) (rear) |
| 6889 | Body, Slash 4X4/Slash, Arie Luyendyk Jr. (painted, decals | 5379R | Ring gear, differential/ pinion gear, differential (machined, spiral |
| | applied) | 00700 | cut) (front) |
| 6849 | Body, Slash 4X4/Slash, Fox Edition (painted, decals applied) | 6879R | Ring gear, differential/ pinion gear, differential (machined, spiral |
| 2514 | Decal sheet, racing sponsors | 6070 | cut) (rear) |
| 6813 | Decal sheet, Slash 4X4 | 6879 3965 | Ring gear, differential/ pinion gear, differential (rear) Screws, 2.5x8mm cap-head machine (6) |
| 9950 | Official Team Traxxas racing decal set (flag logo/ 6-color) | 1647 | Silicone grease |
| | Center Driveline | 1047 | |
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) | | Driveline Components |
| 5119 | Ball bearings, blue rubber sealed (10x15x4mm) (2) | 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 5120 | Ball bearings, blue rubber sealed (12x18x4mm) (2) | 5119 | Ball bearings, blue rubber sealed (10x15x4mm) (2) |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) | 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 5117 | Ball bearings, blue rubber sealed (6x12x4mm) (2) | 6828X | Differential output yokes, heavy duty (2)/ screw pin (2) |
| 6893X | Bearing adapter, 6160-T6 aluminum (blue-anodized) | 6851X | Driveshaft assembly, front, heavy duty (1) (left or right) (fully |
| | (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper | | assembled, ready to install)/ screw pin (1) |
| | shaft) | 6852X | Driveshaft assembly, rear, heavy duty (1) (left or right) (fully |
| 6841 | Cover, center driveshaft (clear) | | assembled, ready to install)/ screw pin (1) |
| 6877A | Cover, gear (clear) | 6855 | Driveshaft, center, 6061-T6 aluminum (blue-anodized) |
| 6877 | Cover, gear/ motor wire hold-down clip | 7455 | Driveshaft, center, plastic (black)/ screw pin |
| 6814 | Differential kit, center (complete) | 6851R | Driveshafts, front, steel-spline constant-velocity (complete |
| 6888 | Drive hub, center, rear (1)/ front (1)/screw pin | 00=== | assembly) (2) |
| 6883 | Gear set, center differential (output gears (2)/ spider gears (2)/ | 6852R | Driveshafts, rear, steel-spline constant-velocity (complete |
| | spider gear shaft) | 0750 | assembly) (2) |
| 5148 | Grease, white lithium | 6750 | Half shaft, external splined (steel-spline constant-velocity) (1) |
| 6884 | Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ | 6751 | Half shaft, internal splined (steel-spline constant-velocity) (1) |
| | bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) | 6850X | Half shafts, heavy duty (external splined (2)/ internal splined (2))/ |
| 6893 | Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) | 6757 | metal u-joints (4) Robuild kit, strol-splined constant-valocity driveshafts (includes |
| 6890 | Plate, motor | 6757 | Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware) |
| 6890X | Plate, motor, 6061-T6 aluminum (blue-anodized) | 6754 | Stub axle, front, 5mm (steel-splined constant-velocity |
| 5352R | Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum | 0734 | driveshaft) (1) |
| | friction pads (3)/ spring, Revo (1)/ spring, Maxx (1)/ 2x9.8mm pin/ | 6753 | Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) |
| E050\/ | 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) | 0,00 | (1) |
| 5352X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ | 6854X | Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4) |
| EEEOV | 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rehald life all more classes (at a line) (3)/ 4.0mm NL (1) | 6853X | Stub axles, rear, heavy duty (2)/pins (2) |
| 5552X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) | | · · · · · · · · · · · · · · · · · · · |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) | | |
| 2010 | Corono, Oxonini buttori ricau macinile (nex unve) (0) | | |

| | Front Suspension & Steering | | Motors & Electronics |
|----------------------|---|----------------------|---|
| 2728 | Ball bearings (5x8x2.5mm) (2) | 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 6823 | Bulkhead tie bars, front & rear, aluminum (blue-anodized) | 3340 | Cooling fan, Velineon VXL-3s ESC |
| 6823R | Bulkhead tie bars, front & rear, aluminum (red-anodized) | 2072A | Gear set (for 2070, 2075 servos) |
| 6830X | Bulkhead, front | 3354R | Motor cover, endbell (Velineon 3500) |
| 3641A | Camber link set (plastic / non-adjustable) (front & rear) (grey) | 6860A | Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm |
| 3641 | Camber link set (plastic/ non-adjustable) (front & rear) (black) | | NL (1) |
| 6832X | Caster blocks (c-hubs), 6061-T6 aluminum, left & right (blue- anodized) | 6860R 3785 | Motor mount, 6061-T6 aluminum (blue-anodized) Motor, Titan 12T (12-Turn, 550 size) |
| 6832R | Caster blocks (c-hubs), 6061-T6 aluminum, left & right (red- anodized) | 3351R | Motor, Velineon 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) |
| 6832 | Caster blocks (c-hubs), left & right | 3347 | Screws, 2.5x5mm button-head machine (hex drive) (6) |
| 6895 | Linkage, front sway bar (2) (assembled with rod ends, hollow | 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| | balls and ball studs) | 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 6897 | Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs) | 2053 2075 | Servo gears (for 2055, 2056 servos) Servo, digital high-torque (ball bearing), waterproof |
| 6846 | Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls | 2056 | Servo, high-torque, waterproof (blue case) |
| 3646 | (2) Scrove 3x15mm flat head machine (hex drive) (6) | 3350R | Velineon VXL-3s Brushless Power System, waterproof (includes |
| 6839 | Screws, 3x15mm flat-head machine (hex drive) (6) Shock tower, front | | VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725)) |
| 6839X | Shock tower, front, 7075-T6 aluminum (blue-anodized) | 3355R | Velineon VXL-3s Electronic Speed Control, waterproof |
| 6845X | Steering bellcranks/ servo saver/ servo saver spring/ servo spring | | (brushless) (fwd/rev/brake) |
| | retainer/servo horn, steering | 3018R | XL-5 Electronic Speed Control, waterproof (land version, low-voltage |
| 6837X | Steering blocks, 6061-T6 aluminum, left & right (blue-anodized) | | detection, fwd/rev/brake) |
| 6837R 6837 | Steering blocks, 6061-T6 aluminum, left & right (red-anodized) Steering blocks, left & right | | Radio System, Batteries & Chargers |
| 6854X | Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4) | 2842X | 5000mAh 7.4v 2-Cell 25C LiPo Battery |
| 3655X | Suspension arms, left & right | 2843X | 5800mAh 7.4v 2-Cell 25C LiPo Battery |
| 6834 | Suspension pin set, complete (front and rear) | 2869X | 7600mAh 7.4v 2-Cell 25C LiPo Battery |
| 6898 | Sway bar kit (front and rear) (includes front and rear sway bars | 2976 2938X | AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to |
| 3643 | and adjustable linkage) Turnbuckles, camber link, 49mm (82mm center to center) | 2330X | separate balance ports) |
| 3043 | (assembled with rod ends and hollow balls) (1 left, 1 right) | 2943 | Battery charge indicators (green (4), blue (4), grey (4)) |
| 5539 | Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2) | 6548 | Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) |
| 6896 | Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4) | 2914 | Battery, Power Cell AA Alkaline (4) |
| | Hardware | 2923X | Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) |
| 1926 | Antenna caps, vinyl (2)/ antenna spool | 2926X 2942X | Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V) |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) | 2942X 2940X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) |
| 1552 | Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ | 2941X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) |
| | wrench | 2952X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V) |
| 3935 | Body clip (mounting clip), angled, 90-degrees (10) | 2950X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) |
| 3934 1589 | Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) | 2951X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) |
| 2586 | Screws, 3x15mm cap-head machine (hex drive) (6) | 2960X 2961X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) |
| 2745 | Nuts, 3mm nylon locking (12) | 2983 | Battery/charger completer pack (includes #2969 2-amp NiMH |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) | | peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH |
| 1747 | Nuts, 4mm nylon locking (10) | | battery (1)) |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) | 2927R | Charger, A/C, 500 mAh (7 cell, NiMH) (US only) |
| 5525 | Rod ends (12)/ hollow balls (12) | 2975 | Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) |
| 2742X 3347 | Rod ends, short (6)/ hollow balls (6) Screws, 2.5x5mm button-head machine (hex drive) (6) | 2972 | Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification |
| 3215 | Screws, 2.5x6mm cap-head machine (hex drive) (6) | 2973 | Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto |
| 3965 | Screws, 2.5x8mm cap-head machine (6) | | Battery Identification |
| 2577 | Screws, 3x10mm button-head machine (hex drive) (6) | 2971 | Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification |
| 2578 2552 | Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm countersunk machine (6) (hex drive) | 2970 | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery |
| 2579 | Screws, 3x15mm button-head machine (by (filex drive)) | | Identification |
| 3646 | Screws, 3x15mm flat-head machine (hex drive) (6) | 6525 | Communication link, telemetry expander |
| 2583 | Screws, 3x18mm button-head machine (hex drive) (6) | 6512 | Cover plate, Traxxas Link Wireless Module |
| 2580 | Screws, 3x20mm button-head machine (hex drive) (6) | 2978 2072A | Fuse, charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos) |
| 2591 | Screws, 3x23mm button-head machine (hex drive) (6) | 6555 | Mount, telemetry expander (fits Slash 4X4, Stampede 4X4, Rally, |
| 2582 2592 | Screws, 3x30mm button-head machine (hex drive) (6) Screws, 3x40mm button-head machine (hex drive) (6) | | Jato) |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) | 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal |
| 2534 | Screws, 3x6mm countersunk machine (6) (hex drive) | 0540 | pad |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) | 6519 6533 | Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) |
| 2576 | Screws, 3x8mm button-head machine (hex drive) (6) | 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) | 6552 | Seal kit, expander box (includes o-ring, seals, and silicone |
| 3937 | Screws, 4x12mm button-head machine (hex drive) (6) | | grease) |
| 2542 2546 | Screws, 4x12mm countersunk machine (hex drive) (6) Screws, 4x15mm countersunk machine (hex drive) (6) | 6526 | Sensor, auto-detectable, temperature |
| 2743 | Set (grub) screws, 3mm hardened (12) | 6527 | Sensor, auto-detectable, voltage |
| 3642X | Shoulder screws, Ultra Shocks (3x12 hex drive) (6) | 6520 6521 | Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) |
| 2754 | Stub axle pins (4) | 6521 2074 | Sensor, temperature and voltage (long) Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 2748X | Tool Set (1.5mm &2.5mm allens/ 4-way lug, 8mm &4mm wrench & U- | 2074 | Servo gears (for 2055, 2056 servos) |
| 2746 | joint wrenches) Washers, 3x6mm metal (12) | 2075 | Servo, digital high-torque (ball bearing), waterproof |
| 2170 | Traditions, Oxford Hotal (12) | 2056 | Servo, high-torque, waterproof (blue case) |

| 6550 | | | |
|---|--|--|--|
| | Telemetry expander, TQi radio system | 2667 | Shock caps, aluminum (Big Bore Shocks) (2) |
| 6551 6539 | Telemetry GPS module, TQi radio system Telemetry trigger magnet holder, center differential/ magnet, | 1664T 2656T | Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) |
| 6538 | 5x2mm (1)/ 3x8mm BCS (3) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ | 1664 | (2) Shock shafts, steel, chrome finish (long) (2) |
| | 3x8mm CCS (3)/ 3x10mm CCS (3) | 2656 | Shock shafts, steel, chrome finish (xx-long) (2) |
| 6540 | Telemetry trigger magnet, 5X2mm (1) | 1765 | Silicone diaphragms (4) |
| 6509R | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link | 1666 | Silicone shock oil (30 wt) |
| | enabled, TSM (2-ch transmitter, 5-ch micro receiver) | 2668 | Spring retainers, upper & lower (2)/ spring pre-load spacers: |
| 6507R | TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro | | 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) |
| | receiver) | 6863 | Springs, front (progressive, +10% rate, pink) (2) |
| 6516 6528 | Transmitter, TQ 2.4GHz, 2-channel (transmitter only) | 6864 | Springs, front (progressive, +20% rate, blue) (2) |
| 6528 | Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) | 6862 | Springs, front (progressive, -10% rate, green) (2) |
| 6529 | Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, | 6861 6857 | Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) |
| | 3-channel (transmitter only) | 6867 | Springs, rear (progressive, +10% rate, pink) (2) |
| 6530 | Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, | 6868 | Springs, rear (progressive, +20% rate, blue) (2) |
| 6511 | 4-channel (transmitter only) Traxxas Link Wireless Module | 6866 | Springs, rear (progressive, -10% rate, green) (2) |
| 3355R | Velineon VXL-3s Electronic Speed Control, waterproof | 6865 | Springs, rear (progressive, -20% rate, orange) (2) |
| 3333IX | (brushless) (fwd/rev/brake) | 6858 | Springs, rear (white) (progressive rate) (2) |
| | Ready-To-Race Model | | Shocks (Ultra Shocks) |
| 68054-1 | Slash 4X4: 1/10 Scale 4WD Electric Short Course Truck with TQ | 3642 | Attachment screws, shock (3x12mm shoulder screws) (6) |
| 00034-1 | 2.4GHz Radio System | 3765A | Body, Ultra Shock(s) (long) (grey) (2) |
| | , | 3766A | Body, Ultra Shock(s) (XXL) (grey) (2) |
| | Rear Suspension | 2362 | Rebuild kit, Ultra shocks (for 2 shocks) |
| 5823 | Bulkhead tie bars, front & rear, aluminum (blue-anodized) | 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws |
| 6823R | Bulkhead tie bars, front & rear, aluminum (red-anodized) | 0740 | (2) |
| 6829 | Bulkhead, rear | 2742X | Rod ends, short (6)/ hollow balls (6) |
| 3641A | Camber link set (plastic / non-adjustable) (front & rear) (grey) | 3767 3767A | Shock caps (2)/ shock bottoms (2) |
| 3641 | Camber link set (plastic/ non-adjustable) (front & rear) (black) | 3767G | Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks) Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks |
| 1952X | Carriers, stub axle (blue-anodized 6061-T6 aluminum)(rear)(2) | 3/0/0 | Shock caps, aldininum (green-anodized) (4) (itts an old a Shocks |
| 1952 1952A | Carriers, stub axle (rear) (2) Carriers, stub axle (red-anodized 6061-T6 aluminum)(rear)(2) | 3767P | Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks) |
| 895 | Linkage, front sway bar (2) (assembled with rod ends, hollow | 3767X | Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks) |
| 0033 | balls and ball studs) | 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| 6897 | Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs) | 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) |
| 6838 | Shock tower, rear | 1664 | Shock shafts, steel, chrome finish (long) (2) |
| 6838X | Shock tower, rear, 7075-T6 aluminum (blue-anodized) | 2656 | Shock shafts, steel, chrome finish (xx-long) (2) |
| 6853X | Stub axles, rear, heavy duty (2)/pins (2) | 7461X | Shocks, GTR long hard-anodized, PTFE-coated bodies with TiN |
| 3655X | Suspension arms, left & right | | shafts (assembled) (2) (without springs) |
| 6834 | Suspension pin set, complete (front and rear) | 7462X | Shocks, GTR xx-long hard-anodized, PTFE-coated bodies with |
| 6898 | Sway bar kit (front and rear) (includes front and rear sway bars | 1765 | TiN shafts (assembled) (2) (without springs) Silicone diaphragms (4) |
| 0044 | and adjustable linkage) | 1666 | Silicone shock oil (30 wt) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits | 3769 | Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) |
| | front & rear on Slash, rear on Slash 4X4) | 3768 | Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole |
| 6896 | Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4) | | (2)) |
| | | 6863 | Springs, front (progressive, +10% rate, pink) (2) |
| | Chooke (/\luminum) | | opinigs, none (progressive, +10 /0 rate, pink) (2) |
| | Shocks (Aluminum) | 6864 | Springs, front (progressive, +20% rate, blue) (2) |
| 1965 | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring | | |
| | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) | 6864 6862 6861 | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) |
| | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws | 6864 6862 6861 6857 | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) |
| 1942 | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) | 6864 6862 6861 6857 6867 | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) |
| 1942 2742X | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws | 6864 6862 6861 6857 6867 6868 | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) |
| 1942 2742X 2760 | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) | 6864 6862 6861 6857 6867 6868 6866 | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) |
| 1942 2742X 2760 1 664T | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) | 6864 6862 6861 6857 6867 6868 6866 6865 | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) |
| 1942 2742X 2760 1664T 2765 T | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) | 6864 6862 6861 6857 6867 6868 6866 6865 6858 | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) |
| 1942 2742X 2760 1 664T 2765T 1664 | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) | 6864 6862 6861 6857 6867 6868 6866 6865 | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers |
| 1942 2742X 2760 1664T 2765T 1664 2765 4760 | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) | 6864 6862 6861 6857 6867 6868 6866 6865 6858 | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load |
| 1942 2742X 2760 1664T 2765T 1664 2765 | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) | 6864 6862 6861 6857 6867 6868 6866 6865 6858 3760 | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & |
| 1942 2742X 2760 1664T 2765T 1664 2765 4760 | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) | 6864 6862 6861 6857 6867 6868 6866 6865 6858 3760 | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -20% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |
| 1942 2742X 2760 1664T 2765T 1664 2765 4760 | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) | 6864 6862 6861 6857 6868 6866 6865 6858 3760 3762 | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |
| 1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) | 6864 6862 6861 6857 6868 6866 6865 6858 3760 3762 | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) |
| 1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Shocks (Pro-level Aluminum) | 6864 6862 6861 6857 6868 6866 6865 6858 3760 3762 | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |
| 1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) | 6864 6862 6861 6857 6868 6866 6865 6858 3760 3762 3762A | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Slipper Clutch Components Ball bearings, black rubber sealed (10x15x4mm) (2) Bearing adapter, 6160-T6 aluminum (blue-anodized) |
| 1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shocks shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) | 6864 6862 6861 6857 6867 6868 6866 6865 6858 3760 3762 3762A 5119A 6893X | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (2) Slipper Clutch Components Ball bearings, black rubber sealed (10x15x4mm) (2) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) |
| 1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862 2660 | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 | 6864 6862 6861 6857 6868 6866 6865 6858 3760 3762 3762A 5119A 6893X | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Slipper Clutch Components Ball bearings, black rubber sealed (10x15x4mm) (2) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ front (1)/screw pin |
| 1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862 2660 2662 | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) | 6864 6862 6861 6857 6868 6866 6865 6858 3760 3762 3762A 5119A 6893X | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Slipper Clutch Components Ball bearings, black rubber sealed (10x15x4mm) (2) Bearing adapter, 6160-76 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ front (1)/screw pin Drive hub, front, hardened steel (1)/ screw pin (1) |
| 1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862 2660 2662 2669 | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) Big Bore shock cylinder (XX-long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) | 6864 6862 6861 6857 6867 6868 6866 6865 6858 3760 37622 3762A 5119A 6893X 6814 6888 6888X 6888X | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Slipper Clutch Components Ball bearings, black rubber sealed (10x15x4mm) (2) Bearing adapter, 6160-76 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ front (1)/screw pin Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) |
| | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shocks shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (frear) (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings | 6864 6862 6861 6857 6868 6866 6865 6858 3760 3762 3762A 5119A 6893X | Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Slipper Clutch Components Ball bearings, black rubber sealed (10x15x4mm) (2) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ front (1)/screw pin Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ |

Page 3 Slash 4X4: TQ 2.4GHz Radio (Model 68054-1) Parts List

| Page 4 | Slash 4X4: TQ 2.4GHz Radio (Model 68054-1) Parts | List | |
|----------------------|--|-------|--|
| 5352R | Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo (1)/ spring, Maxx (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) | 5887R | Tires & wheels, assembled, glued (S1 compound) (SCT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) |
| 5352X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) | 5889R | (TSM rated) Tires & wheels, assembled, glued (S1 compound) (SCT Split- |
| 5552X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) | | Spoke black, satin chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) |
| 2554 | Screws, 3x6mm cap-head machine (hex drive) (6) | 6891R | (2) (4WD f/r, 2WD rear) (TSM rated) Tires & wheels, assembled, glued (S1 compound) (SCT Split- |
| 6878 5556 | Slipper clutch, complete Slipper pressure plate & hub (aluminum alloy) | 0091K | Spoke chrome, red beadlock style wheels, dual profile (2.2" |
| 5351 | Slipper pressure plate and hub (alloy) | | outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) |
| | Spur Gears & Pinion Gears | 6892R | (4WD f/r, 2WD rear) (TSM rated) Tires & wheels, assembled, glued (S1 compound) (SCT Split- |
| 6747 | Gear, 11-T pinion (32-p) (steel)/ set screw | 0032K | Spoke satin chrome, black beadlock style wheels, dual profile |
| 3942 | Gear, 12-T pinion (32-p) (mach. steel)/ set screw | | (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) |
| 3943 | Gear, 13-T pinion (32-p) (mach. steel)/ set screw | 5863R | (2) (4WD f/r, 2WD rear) (TSM rated) |
| 3944 3945 | Gear, 14-T pinion (32-p) (mach. steel)/ set screw | 3003K | Tires & wheels, assembled, glued (\$1 compound) (\$CT, black, orange beadlock wheels, dual profile (2.2" outer, 3.0" inner), \$CT |
| 3946 | Gear, 15-T pinion (32-p) (mach. steel)/ set screw Gear, 16-T pinion (32-p) (mach. steel)/ set screw | | off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM |
| 3947 | Gear, 17-T pinion (32-p) (mach. steel)/ set screw | 6072V | rated) Tires 8 whools accombled alread (\$1 ultra coft off road racing |
| 3948 | Gear, 18-T pinion (32-p) (mach. steel)/ set screw | 6873X | Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style |
| 3949 | Gear, 19-T pinion (32-p) (mach. steel)/ set screw | | wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD front/rear, |
| 3950 3951 | Gear, 20-T pinion (32-p) (mach. steel)/ set screw Gear, 21-T pinion (32-p) (mach. steel)/ set screw | 6074D | 2WD rear only) |
| 3952 | Gear, 22-T pinion (32-p) (mach.steel)/set screw | 6874R | Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style |
| 6842 | Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) | | wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear |
| 6842R | Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) | 00700 | only) |
| 6843 | (for center differential) Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) | 6873R | Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, |
| 6843R | Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) | | BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) |
| | (for center differential) | | (4WD f/r, 2WD rear) |
| 3956 3956R | Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) | 5863 | Tires & wheels, assembled, glued (SCT black, orange beadlock wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing |
| 3930K | Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential) | | tire, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated) |
| | Steering Components | 5887 | Tires & wheels, assembled, glued (SCT chrome wheels, red |
| 1552 | Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ | | beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated) |
| .002 | wrench | 5867 | Tires & wheels, assembled, glued (SCT chrome, red beadlock |
| 2728 | Ball bearings (5x8x2.5mm) (2) | | style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam |
| 6846 | Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2) | E072D | inserts) (2)(4WD front/rear, 2WD rear only) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) | 5873R | Tires & wheels, assembled, glued (SCT satin chrome red beadlock wheels, ultra-soft S1 compound off-road racing tires, |
| 6845X | Steering bellcranks/ servo saver/ servo saver spring/ servo spring | | inserts) (2) (2WD rear, 4WD f/r) |
| 0746 | retainer/servo horn, steering | 5873 | Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD |
| 2746 | Washers, 3x6mm metal (12) | | front/rear, 2WD rear only) (TSM rated) |
| 00444 | Suspension Linkage | 5878 | Tires & wheels, assembled, glued (SCT satin chrome, black |
| 3641A 3641 | Camber link set (plastic / non-adjustable) (front & rear) (grey) Camber link set (plastic/ non-adjustable) (front & rear) (black) | | beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only) |
| 5525 | Rod ends (12)/ hollow balls (12) | 5873X | Tires & wheels, assembled, glued (SCT satin chrome, black |
| 3739 | Screw pin set (Rustler/ Bandit/ Stampede) | | beadlock style wheels, SCT off-road racing tires, foam inserts) |
| 6834 | Suspension pin set, complete (front and rear) | 5873A | (2) (4WD front/rear, 2WD rear only) Tires & wheels, assembled, glued (SCT satin chrome, red- |
| 2537 3644 | Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles, camber link, 39mm (69mm center to center) | 3013A | beadlock style wheels, SCT off-road tires, foam inserts) (2) (4WD |
| 0011 | (assembled with rod ends and hollow balls) (1 left, 1 right) (fits | | front/rear, 2WD rear only) |
| | front & rear on Slash) | 5889 | Tires & wheels, assembled, glued (SCT Split-Spoke black, satin |
| 3643 | Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) | | chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) |
| 5539 | Turnbuckles, camber links, 58mm (assembled with rod ends and | | (TSM rated) |
| | hollow balls) (2) | 6873A | Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red |
| | Team Traxxas Items | | beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) |
| 2514 | Decal sheet, racing sponsors | 6891 | Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red |
| 6160X | DVD, Maxx Power! Full Throttle Action (sleeve) | | beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT |
| 9950 9909 | Official Team Traxxas racing decal set (flag logo/ 6-color) Traxxas racing banner, red & black (3x7 feet) | | off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated) |
| 3303 | • | 6873 | Tires & wheels, assembled, glued (SCT Split-Spoke satin |
| F116 | Tires & Wheels | | chrome, black beadlock style wheels, BFGoodrich® Mud- |
| 5116 5854 | Ball bearings, blue rubber sealed (5x11x4mm) (2) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, | | Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated) |
| | #6469) | 6892 | Tires & wheels, assembled, glued (SCT Split-Spoke satin |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) | | chrome, black beadlock style wheels, dual profile (2.2" outer, |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) | | 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated) |
| 1647 2754 | Silicone grease Stub axle pins (4) | 5883 | Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin |
| 2754 5883A | Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock | | chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® |
| | wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) | 6074 | KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear) |
| 5880X | (4WD f/r, 2WD rear) Tires & wheels assembled glued (SCT satin chrome headlock | 6871 | Tires, BFGoodrich® Mud-Terrain T/A® KM2 (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2) |
| YOOG | Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, | 6871R | Tires, BFGoodrich® Mud-Terrain T/A® KM2 , ultra-soft (S1 off- |
| | 2WD rear only) | | road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam |
| | | 5871 | inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam |
| | | 5571 | inserts (2) |
| | | | |

| Page 5 | Slash 4X4: TQ 2.4GHz Radio (Model 68054-1) Parts List |
|--------|---|
| 5871R | Tires, ultra-soft, S1 compound for off-road racing, SCT dual |
| 1654 | profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) |
| 6856X | Wheel hubs, splined, 17mm, short (4)/ wheel nuts, splined, 17mm |
| | (4) (blue-anodized)/ hub retainer M4 X 0.7 (4)/ axle pin (4)/ wrench, 5mm |
| 5353 | Wheel nuts, splined, 17mm (blue-anodized) (4) |
| 5480X | Wheel wrench, splined, 17mm |
| 5868X | Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2) |
| 5868 | Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) |
| 5872 | Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) |
| 5872X | Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) |
| 5872A | Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) |
| 5884A | Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2) |
| 5884 | Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2) |
| 6872X | Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2) |
| 6872A | Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2) |
| 6872 | Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear |
| | only) (2) |
| | Turnbuckles & Threaded Rods |
| 5525 | Rod ends (12)/ hollow balls (12) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) |
| | (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) |
| 3643 | Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) |
| 5539 | Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2) |

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM